



HF 60 IONIC VEHICLE AIR PURIFIER
PURIFICATEUR D'AIR IONIQUE POUR VÉHICULES HF 60



INSTRUCTION MANUAL
MODE D'EMPLOI

HEAVEN FRESH
©2010, HFEF-CANUS-HF 60-01/10





Thank you for purchasing the efficient Heaven Fresh HF 60 Ionic Vehicle Air Purifier.

CAUTION

- This device should be used in 12V DC vehicles only. Do not use in 24V DC vehicles.
- Unplug the unit from the 12-volt cigarette socket when the vehicle engine is running at low speeds for an extended period. This will prevent damage resulting from sudden voltage surges from the battery during low load conditions.
- The effectiveness of this device will be reduced when the vehicle windows are open.
- To prolong service life it is advisable to turn off the HF 60 when not operating the vehicle.
- Keep this device dry. If moisture accidentally enters the unit, please dry it thoroughly inside and out before using it.
- Clean the HF 60 exterior cover with mild detergent only. Do not use alcohol, benzene or other strong solvents, as they will do damage to the cover.

PRODUCT OVERVIEW

- The HF 60 generates thousands of negative ions that bind with allergens, microbes and other pollutants (including bacteria, cigarette smoke, vehicle emissions, odours, etc.) removing them from the air, keeping it fresh and clean.
- Purified, negative ion-rich air will help to keep drivers alert and comfortable on long trips.
- The ergonomic and compact design will enhance the appearance of your vehicle's dashboard without obstructing your view.



OPERATING INSTRUCTIONS

Use the adhesive strip provided to secure the HF 60 firmly on the dashboard with the six air outlets facing the interior of the vehicle.


Insert the unit's DC plug into the cigarette lighter socket. Move the switch, located on the side of the device, to the [ON] position. The green light will appear when in operating mode. Turn the switch to the [OFF] position to stop operation.

Note: In some vehicles the power to the cigarette lighter socket will cut off when the vehicle is not operating.

CLEANING & MAINTENANCE

The unit will need cleaning about every two months. Please clean as follows:

1. Unplug from the socket. Hold the top of the unit with one hand and using the other hand carefully remove the upper cover by inserting a small coin into the two release slots located at the rear of the unit and twisting slightly. It is not necessary to remove the lower part of the unit from the dashboard for cleaning. Be careful not to break the four positioning locks inside the base of the unit.
2. Use a cotton swab dipped in alcohol to wipe the electrode needles and the dust collector plate with the six holes. Be careful not to damage the internal electronic circuitry.
3. **Important:** Please be sure to remove any remaining moisture with a small dry cloth and allow the unit to dry thoroughly before closing the cover. You can operate the device after it is thoroughly dry.



COMPONENTS



TECHNICAL SPECIFICATIONS

Model	HF 60
Rated voltage	DC 12V
Power consumption	2W
Negative Ion output	Max. 100,000/cm ³
Active oxygen output	0.01 ppm - 0.4ppm
Dimensions	5.6" (L) x 4.5" (W) x 1.5" (H)
Weight	0.4 lbs (180g)
Applicable area	Designed for vehicle interiors including automobiles, trucks and RVs.



Merci d'avoir acheté le purificateur d'air efficace Heaven Fresh Ioniseur purificateur d'air pour véhicule HF 60.

ATTENTION:

- Cet appareil ne doit être utilisé que dans des véhicules munis d'une arrivée électrique de 12 V en CC. Ne pas l'utiliser dans des véhicules munis d'une arrivée électrique de 24 V en CC.
- Débrancher le purificateur de la prise de l'allume-cigares de 12 V lorsque le moteur du véhicule tourne à basse vitesse pour une durée prolongée. Ceci évitera d'endommager le purificateur en cas de pointes de tension soudaines venant de la batterie quand celle-ci est en état de faible charge.
- L'efficacité de cet appareil sera réduite si les fenêtres du véhicule sont ouvertes.
- Pour prolonger la durée de vie du purificateur HF 60, il est conseillé de l'arrêter quand on n'utilise pas le véhicule.
- Garder cet appareil sec. Si de l'humidité y pénétrait accidentellement, le sécher parfaitement aussi bien à l'intérieur qu'à l'extérieur avant de l'utiliser.
- Nettoyer le couvercle extérieur du purificateur HF 60 avec un détergent doux. Ne pas utiliser d'alcool, de benzène ou d'autres dissolvants puissants, car ils endommageraient le couvercle.

APERÇU DU PRODUIT

- Produit des milliers d'ions négatifs qui se combinent aux allergènes, microbes et autres polluants (y compris bactéries, fumée de cigarette, gaz d'échappement, odeurs, etc.) pour les extraire de l'air et garder ce dernier propre et frais.
- De l'air purifié et riche en ions négatifs contribuera à garder les conducteurs alertes et confortables au cours de longs déplacements.
- La conception ergonomique et compacte rehaussera l'aspect du tableau de bord de votre véhicule sans bloquer votre champ de vision.



MODE D'EMPLOI

Utiliser les bandes adhésives fournies pour attacher fermement le purificateur HF 60 sur le tableau de bord en dirigeant les six bouches d'air vers l'intérieur du véhicule.


Brancher la prise mâle en CC du purificateur dans celle de l'allume-cigares. Mettre l'interrupteur situé sur le côté de l'appareil sur la position « On/Marche ». Le témoin lumineux vert s'éclairera pour confirmer le fonctionnement du purificateur. Placer l'interrupteur sur « Off/Arrêt » pour l'arrêter.

Remarque: dans certains véhicules, l'arrivée électrique à la prise de l'allume-cigares s'arrêtera lorsque le véhicule sera à l'arrêt.

NETTOYAGE ET ENTRETIEN

Le nettoyage du purificateur devra se faire environ tous les deux mois en procédant de la manière suivante:

1. Débrancher le purificateur. Tenir le dessus de l'appareil d'une main et, de l'autre, enlever délicatement le couvercle supérieur en introduisant une petite pièce de monnaie dans les deux encoches situées à l'arrière de l'appareil et en tournant légèrement. Il n'est pas nécessaire d'enlever la partie inférieure du purificateur du tableau de bord pour le nettoyer. Prendre soin de ne pas briser les quatre petites pattes de positionnement situées dans la base du purificateur.
2. À l'aide d'un coton-tige préalablement imbibé d'alcool, essuyer les aiguilles électrodes et le collecteur de poussières dans les six orifices.
3. **Important:** S'assurer d'enlever toute trace d'humidité qui subsisterait à l'aide d'un petit chiffon sec et permettre au purificateur de sécher avant de refermer le couvercle. On pourra remettre le purificateur en service une fois qu'il sera complètement sec.



COMPOSANTS



FICHE TECHNIQUE

Modèle	HF 60
Tension nominale	DC 12V
Consommation électrique	2W
Production d'ions	MAX 100,000/cm ³
Production d'oxygène actif	0,01 ppm - 0,4 ppm
Dimensions	14,0 (L) x 11,0 (W) x 3,8 (H) (cm)
Poids	180g (0,4 lbs)
Zones applicables	Conçu pour l'intérieur des véhicules y compris voitures, camions et véhicules de plaisance.



WARRANTY INFORMATION

The HF 60 is subjected to strict testing procedures before leaving the factory. If within one year from the date of purchase the product does not perform according to the specifications, because of factory defects, the purchaser is entitled to free repairs or replacement of parts upon presentation of this warranty (provided that the malfunction or damage to the device and/or parts occurred under normal operating conditions).

- What is covered:** All parts defective in material and workmanship.
For how long: One year from purchase date.
What we will do: Repair or replace any defective parts.

90-Day Replacement Policy

If, due to manufacturer defect, any part requires repair during the first 90 days after receiving your ionizer, Heaven Fresh will replace it with a new machine.

What You Must Do

1. Contact Heaven Fresh customer support at:



1-866-625-1857

www.heavenfresh.ca



1-800-642-0367

www.heavenfresh.com

for Return Authorization Number.

2. Pack the product in its original carton, and in the same manner in which you received it, or as identical as possible.
3. Include proof of purchase inside box along with the Return Authorization Number.
4. Label and ship the unit, freight pre-paid, to the address below.

Mailing Address:



Heaven Fresh Canada Inc.
50 Venture Dr. Unit 6
Toronto, ON M1B 3L6



Heaven Fresh USA
1701-2 Pearl Street
Waukesha, WI 53186

Other Conditions

The provisions of this warranty are in lieu of any other written warranty whether express or implied, written or oral, including any warranty of merchantability or fitness for a particular purpose. The manufacturer's maximum liability shall not exceed the actual purchase price paid by you for the product. In no event shall the manufacturer be liable for special, incidental, consequential, or indirect damages. This warranty does not cover a defect that has resulted from improper or unreasonable use or maintenance, faulty assembly, accident, natural catastrophes, improper packing, or unauthorized tampering, alteration, or modification as determined solely by us. This warranty is void if the label bearing the serial number has been removed or defaced.



WARRANTY CERTIFICATE / CERTIFICAT DE GARANTIE

WARRANTY CERTIFICATE FOR THE HF 60 IONIC VEHICLE AIR PURIFIER
CERTIFICAT DE GARANTIE POUR SYSTÈMES DE L'IONISEUR PURIFICATEUR D'AIR
IONIQUE POUR VÉHICULES HF 60

Date of purchase/Date d'achat: _____

Buyer's name/Nom de l'acheteur: _____

First name/Prénom : _____

Address/Adresse: _____

Telephone/Téléphone: _____

Email/Email: _____

Seller's name/Nom du vendeur: _____

Address/Adresse: _____

1. Please fill in completely this Warranty Certificate. Send it with the invoice and the unit, postage pre-paid and using the original packing box, to your distributor. Make sure to include the appropriate return postage for the package.

2. Please enclose a short description of the damage, fault or malfunction, and the circumstances under which these problems arose.

1. Veuillez remplir le Certificat de garantie au complet et l'envoyer avec la facture et le purificateur en port payé à votre distributeur en réutilisant l'emballage original. Veuillez inclure l'affranchissement nécessaire pour le retour du colis.

2. Prière d'inclure une description succincte de la défectuosité rencontrée ou de la panne subie ainsi que les circonstances dans lesquelles celle-ci est apparue.





GARANTIE

Le purificateur d'air ionique pour véhicule HF60 est assujéti des mesures strictes de contrôle de la qualité avant de quitter le fabricant. Cela permet à nos clients de bénéficier de réparations, de changements de pièces et même de remplacements gratuits.

- Que couvre la garantie:** Toute pièce défectueuse et tout défaut de fabrication.
Pour combien de temps: Pour une année à partir de la date d'achat
Que ferons-nous: Nous réparerons ou remplacerons toute pièce défectueuse.

REPLACEMENT DANS LES 90 JOURS

Si une pièce devait être réparée au cours des 90 jours qui suivent la réception de votre ioniseur en raison d'un défaut de fabrication, Heaven Fresh vous remplacerait votre purificateur défectueux en l'échangeant contre un nouveau.

COMMENT PROCÉDER POUR FAIRE APPLIQUER LA GARANTIE

1. Emballer le produit avec le plus grand soin (de préférence dans sa boîte originale).



1-866-583-1857
www.heavenfresh.ca



1-800-642-0367
www.heavenfresh.com

2. Joindre la preuve de l'achat dans la boîte.
3. Adresser et expédier la boîte en port payé à l'adresse qui vous sera fournie.

Adresse postale:



Heaven Fresh Canada Inc.
50 Venture Dr. Unit 6
Toronto, ON M1B 3L6



Heaven Fresh USA
1701-2 Pearl Street
Waukesha, WI 53186

AUTRES CONDITIONS

Les conditions stipulées dans la présente garantie remplacent toute autre forme de garantie expresse ou tacite, écrite ou verbale, y compris qualité marchande ou aptitude à répondre à un but précis. La responsabilité maximale du fabricant n'excédera pas le prix d'achat payé par l'acheteur pour le produit. En aucun cas, le fabricant et/ou le distributeur ne sera responsable de dommages et intérêts spéciaux, accessoires, consécutifs ou indirects. La présente garantie ne couvre pas les dommages qui seraient dus à un usage ou à un entretien inapproprié ou abusif, mauvais assemblage, accident, désastres naturels, mauvais emballage, modification, altération ou changement non autorisé comme déterminé uniquement par nous. La présente garantie sera nulle et non-avenue si l'étiquette portant le numéro de série a été enlevée ou trafiquée.

**Canada**

sales@heavenfresh.ca
www.heavenfresh.ca
1-866-625-1857 (English)
1-866-583-1857 (Français)

USA

sales@heavenfresh.com
www.heavenfresh.com
1-800-642-0367

UK

sales@heavenfresh.co.uk
www.heavenfresh.co.uk
0800 952 9962

Germany

sales@heavenfresh.de
www.heavenfresh.de
0800 66 47 259

France

sales@heavenfresh.fr
www.heavenfresh.fr
0800 900 991

Ireland

sales@heavenfresh.ie
www.heavenfresh.ie
1-800-550-457

Middle East

sales@heavenfresh.ae
www.heavenfresh.ae
+971 (06) 557 3640

